

SV50 - 50 Home > Products > SV50 - 50



SV50 - 50

Specifications

Lamp Power (W)	50 W
Lamp Type	HPS
Nominal Voltage (V)	220 - 230 V / 50 Hz
Current (A)	0,76 A
Cos Φ	0,40
Loading Capacitance	10 uF
IEC Protection Class	Class I
Thermal Protection	Yes
Operating Temperature (Ta)	70 °C
Dimensions and Weight	116 x 69 x 59 mm / 1,250 kg
Terminal Blocks	1,5 - 2,5 mm²
Box Quantity	16 Pieces







Description

Standart HPS Ballast Complied Standards: TS EN 60923 TS EN 61347

Applications

High Pressure Sodium Vapour Lamps





CORPORATE

Company Quality and R&D Certificates News Career

PRODUCTS

Road and Street Luminaires Floodlights and Area Luminaires Industrial and Tunnel Luminaires Indoor and Office Luminaires Poles and Bollards IMAJ® Ballasts and Ignitors GRITCON® Smart Control GRITSOL® Solar Systems

CONTACT US

E-Mail : sales@grupimaj.com Phone : +90 212 689 93 08-09-10 (pbx) Fax: +90 212 689 93 11 GSM: +90 507 699 53 32

Address : Kavaklı district, Deniz Aktaş street, No: 6 | 345520 Beylikdüzü / Istanbul / TURKIYE









GRUPIMAJ.COM | ©2022 All Rights Reserved